

SB6101011

KEY FEATURES / UNIQUE SELLING POINTS (USP)



SLIDING HYPERFOCUS™

The sliding Hyperfocus™ optical system collects the LED radiance and distributes it with maximum efficiency from a perfect round floodlight beam to a highly intensive, long range spot beam. Just slide the head of the lamp for the correct light setting.



WATER RESISTANT - IPX4

The V3air is rated IPX4, which means it is water resistant. Use the V3air in all weather conditions without having to worry about your light.



SOFT FOAM PAD

The soft foam pad on the back of the lamp head gives you extra comfort on the forehead. You no longer have to worry about a sore forehead, when wearing the headlamp for longer periods of time.



ELECTRONIC DIMMING

With our Intelligent Light Control and electronic dimming you can get just the right light output you need for a given situation. Dim the light stepless from 160 down to 6 lumens simply by holding a button.



LIGHTWEIGHT BATTERY PACK


The V3air is equipped with a minimized battery pack containing 3XAAA Alkaline batteries. The minimum weight on the back of your head gives you maximum freedom in your everyday work.



SPLIT HEADBAND

The special split headband is designed to give you extra comfort and the silicone stripes secures an extra hold on your head or helmet. The split headband is easily and quickly adjusted with a simple pull.

LIGHT CURVE AND RUNTIMES



MAX

340 No. 34

34 No. 34

36 No. 34

7-80 h

WHAT'S IN THE BOX

HEADLAMP

BATTERIES

MANUAL







PACKAGING



PACKAGING

Customs Tariff Number:	8513 10		
Packaging:	Recyclable Cardboard Packagin		
Single Box Content / Size / Weight:	1 pcs, height/width/depth: 20 x 7.5 x 6 cm / 260 g		
Master Box Content / Size / Weight:	24 pcs, height/width/depth: 22.7 x 31.5 x 37.5 cm / 6.8 kg		
Code:	SB6101011		
CODE EAN:	5704049908369		

SPECIFICATIONS

LED / Focus Configuration:	1 CREE Power Chip / Sliding Hyperfocus™			
LED / 1 ocus configuration.	Tence Tower chilp / Shaing Hyperrocas			
Case Material / Surface Treatment:	Hi-Tech Plastic Compound / Aluminium			
Case Color:	Black / Anthracite Dark Grey			
Switch:	Metal Switch Below Head - Max, Dimmer with Memory and Transportation lock			
Headband:	Split with silicone stripes, Fits to 50-70 centimeters			
Weight incl. Battery:	140 g			
Ingress Protection Rating:	Splash Waterproof IPx4			
Temperature (Operation):	-20°C to +50°C			

ELECTRONICS

Built in Controller:	Yes, dimmable	
Standard Power Source:	3 x AAA Alkalir	
Beam / Distance:	Variable from Spot to Floodlight / 195 Meters	
Luminous Flux:	Max: 340 lm / Dim: 160-6 lm	
Lighting Time:	Max: 3 h 30 min / Low Dim: 80 h	
Accessories Included:	Removable Washable Headband	

ACCESSORIES

PRODUIT	DESCRIPTION	CODE	POIDS	DIMENSIONS	CODE EAN
0_	Filtres couleur B/R/Y/G avec adaptateur (Pour Q2/Q3/V3)	995.0059	24 g	L: 17.0 cm, W: 11.0 cm, H: 4.5 cm	5704049901230
	Casque: Bandeau silicone	995.0059	30 g	L: 17.0 cm, W: 11.0 cm, H: 4 cm	5704049901018
	Bandes universelles (2 pcs)	995.0059	12 g	L: 17.0 cm, W: 11.0 cm, H: 1 cm	5704049905474
	Ampoule camping Q3/V3 series	SB950028	28 g	L: 17.0 cm, W: 11 cm, H: 3.5 cm	5704049901346

SPAREPARTS

PRODUCT	DESCRIPTION		EAN CODE
	Replacement Lense for V3 series, complete	995.0059	5704049901322
ALL S	Replacement Reflector for V3 series	995.0069	5704049905016





Distributed by:

ALSAFIX HEAD OFFICE 114A rue Principale FR-67240 GRIES Tel: +33 3 88 72 19 31

www.alsafix.com alsafix@alsafix.com

ALSAFIX PARIS
34 avenue de Bobigny
FR-93135 NOISY-LE-SEC
Tel: +33 1 48 44 44 59

www.alsafix.com paris@alsafix.com