

 suprabeam®

**ALSAFIX**  
www.alsafix.com

# V3 *air* *rechargeable*

**PERFORMANCE  
UPGRADE**



**650  
LUMENS**



Li-Po  
1400 mAh



210 m



148 g



10° - 70°

SB6125211

# KEY FEATURES / UNIQUE SELLING POINTS (USP)



## SLIDING HYPERFOCUS™

The sliding Hyperfocus™ optical system collects the LED radiance and distributes it with maximum efficiency from a perfect round floodlight beam to a highly intensive, long range spot beam. Just slide the head of the lamp for the correct light setting.



## USB CHARGING IN BATTERY

Our new Li-Po battery has been special built with integrated USB-charging. It offers demanding users the benefit of purchasing a second battery for being able to charge a spare battery while using the headlamp. Truly for Professionals!



## SOFT FOAM PAD

The soft foam pad on the back of the lamp head gives you extra comfort on the forehead. You no longer have to worry about a sore forehead, when wearing the headlamp for longer periods of time.



## ELECTRONIC DIMMING

With our Intelligent Light Control and electronic dimming you can get just the right light output you need for a given situation. Dim the light stepless from 200 down to 6 lumens simply by holding a button.



## LIGHTWEIGHT BATTERY PACK


The V3air rechargeable is equipped with a minimized battery pack containing a lightweight 1400 mAh Li-Po battery. The minimum weight on the back of your head gives you maximum freedom in your everyday work.



## SPLIT HEADBAND

The special split headband is designed to give you extra comfort and the silicone stripes secure an extra hold on your head or helmet. The split headband is easily and quickly adjusted with a simple task.

# LIGHT CURVE AND RUNTIMES



MAX

650 LUMENS  
65

2 h

DIMMING

200 LUMENS  
6

4<sup>30</sup><sub>min</sub> - 125 h

# WHAT'S IN THE BOX

HEADLAMP



BATTERY



USB-CABLE



MANUAL



# PACKAGING



## PACKAGING

<b>Customs Tariff Number:</b>	8513 1000
<b>Packaging:</b>	Recyclable Cardboard Packaging
<b>Single Box Content / Size / Weight:</b>	1 pcs, height/width/depth: 20 x 7.5 x 6 cm / 274 g
<b>Master Box Content / Size / Weight:</b>	24 pcs, height/width/depth: 22.7 x 31.5 x 37.5 cm / 71 kg
<b>Code:</b>	SB6125211
<b>CODE EAN:</b>	5704049908376

# SPECIFICATIONS






<b>LED / Focus Configuration:</b>	1 CREE Power Chip / Sliding Hyperfocus™
<b>Case Material / Surface Treatment:</b>	Hi-Tech Plastic Compound / Aluminium
<b>Case Color:</b>	Black / Anthracite Dark Grey
<b>Switch:</b>	Metal Switch Below Head - Max, Dimmer with Memory and Transportation lock
<b>Headband:</b>	Split with silicone stripes, Fits to 50-70 centimeters
<b>Weight incl. Battery:</b>	148 g
<b>Ingress Protection Rating:</b>	Splash Waterproof IPx4
<b>Temperature (Operation):</b>	-20°C to +50°C

# ELECTRONICS


<b>Built in Controller:</b>	Yes, dimmable
<b>Standard Power Source:</b>	1 x Li-Polymer (1400 mAh) with USB
<b>Charging Time:</b>	80% = 1 h 50 min, 100% = 2 h 35 min
<b>Beam / Distance:</b>	Variable from Spot to Floodlight / 210 Meters
<b>Luminous Flux:</b>	Max: 650 lm / Dim: 200-6 lm
<b>Lighting Time:</b>	Max: 2 h / Low Dim: 125 h
<b>Accessories Included:</b>	Removable, Washable Headband, USB cable
<b>Charging Temperature:</b>	-0°C to +45°C




## ACCESSORIES

PRODUCT	DESCRIPTION	CODE	WEIGHT	SINGLE BOX SIZE	EAN CODE
	Battery: Li-Polymer cell 113645 with USB (1'400 mAh)	SB951027	34 g	L: 17.0 cm, W: 11.0 cm, H: 3.5 cm	5704049911345
	Color filter Set B/R/Y/G with adapter (for Q3/V3)	950.014	24 g	L: 17.0 cm, W: 11.0 cm, H: 4.5 cm	5704049901230
	Helmet: Silicone headband black	950.007	30 g	L: 17.0 cm, W: 11.0 cm, H: 4 cm	5704049901018
	Bike helmet strap mount (2 pcs)	950.074	12 g	L: 17.0 cm, W: 11.0 cm, H: 1 cm	5704049905474
	Camping bulb Q3/V3 series	SB950028	28 g	L: 7.0 cm, W: 6.5 cm, H: 3.5 cm	5704049901346

## SPAREPARTS

PRODUCT	DESCRIPTION	CODE	EAN CODE
	Replacement Lense for V3 series, complete	995.0059	5704049901322
	Replacement Reflector for V3 series	995.0069	5704049905016



Distributed by:

ALSAFIX HEAD OFFICE  
114A rue Principale  
FR-67240 GRIES  
Tel: +33 3 88 72 19 31

ALSAFIX PARIS  
34 avenue de Bobigny  
FR-93135 NOISY-LE-SEC  
Tel: +33 1 48 44 44 59



[www.alsafix.com](http://www.alsafix.com)  
alsafix@alsafix.com

[www.alsafix.com](http://www.alsafix.com)  
paris@alsafix.com