

**suprabeam®**

**ALSAFIX®**  
www.alsafix.com

# v3 pro rechargeable

**ENCORE PLUS  
PUISSANT**



**1000  
LUMENS**

 Li-Po  
2800 mAh     245 m     184 g     10° - 70°

SB6135211

# KEY FEATURES / UNIQUE SELLING POINTS (USP)



## HIGH CAPACITY LI-PO

The battery inside the V3pro rechargeable is a high capacity low weight Li-Po cell with 2800 mAh. The battery is charged directly in the battery, and therefore you will be able to charge the battery while using a spare battery (sold separately).



## RED WARNING LIGHT

The red blinking warning light on the back of the batterypack will make you visible from behind. The light can be turned on and off.



## ELECTRONIC SWITCH + DIMMING

With our Intelligent Light Control and electronic dimming you can get just the right light output you need for a given situation. Dim the light stepless from 300 to 6 lumens simply by holding a button.



## VERSATILE PLUG SYSTEM

Our professional headlamps are fitted with a versatile plug system, that protects and prolongs the products lifetime. The plugs in the headlamp and battery pack will detach, if your headlamp gets tangled.



## SLIDING HYPERFOCUS™


The sliding Hyperfocus™ optical system collects the LED radiance and distributes it with maximum efficiency from a perfect round floodlight beam to a highly intensive, long range spot beam. Just slide the head of the lamp for the correct light setting.



## DC CONVERTER TECHNOLOGY

The V3pro rechargeable is fitted with our new and highly efficient electronic circuitry. It reduces the heat development of the Power LED and decreases the energy consumption. The advantage is 30-40 % longer runtimes and highest constant light output.

# LIGHT CURVE AND RUNTIMES



### MAX

1000 LUMENS  
100

3 h

### DIMMING

300 LUMENS  
6

5<sup>30</sup>-225 h

# WHAT'S IN THE BOX

### HEADLAMP



### BATTERY



### USB-CABLE



### MANUAL



# PACKAGING



## PACKAGING

<b>Customs Tariff Number:</b>	8513 1000
<b>Packaging:</b>	Recyclable Cardboard Packaging
<b>Single Box Content / Size / Weight:</b>	1 pcs, height/width/depth: 20 x 15 x 6 cm / 370 g
<b>Master Box Content / Size / Weight:</b>	12 pcs, height/width/depth: 22.7 x 31.5 x 37.5 cm / 5 kg
<b>Code:</b>	SB6135211
<b>CODE EAN:</b>	5704049908390

# SPECIFICATIONS

<b>LED / Focus Configuration:</b>	1 CREE Power Chip / Sliding Hyperfocus™
<b>Case Material / Surface Treatment:</b>	Hi-Tech Plastic Compound / Aluminium
<b>Case Color:</b>	Black / Anthracite Dark Grey
<b>Switch:</b>	Metal Switch Below Head - Max, Dimmer with Memory and Transportation lock
<b>Headband:</b>	Split with silicone stripes, Fits to 50-70 centimeters
<b>Weight incl. Battery:</b>	184 g
<b>Ingress Protection Rating:</b>	Splash Waterproof IPX4
<b>Temperature (Operation):</b>	-20°C to +50°C

# ELECTRONICS


<b>Built in Controller:</b>	Yes, dimmable
<b>Standard Power Source:</b>	1 x Li-Polymer (2800 mAh) with USB
<b>Charging Time:</b>	80% = 3 h, 100% = 4 h 30 min
<b>Beam / Distance:</b>	Variable from Spot to Floodlight / 245 Meters
<b>Luminous Flux:</b>	Max: 1000 lm / Standard 180 lm / Dimming: 6-300 lm
<b>Lighting Time:</b>	Max: 3 h / Standard: 8 h / Low Dim: 225 h
<b>Accessories Included:</b>	Removable, Washable Headband, USB cable
<b>Charging Temperature:</b>	-0°C to +45°C

# ACCESSORIES

PRODUCT	DESCRIPTION	CODE	WEIGHT	SINGLE BOX SIZE	EAN CODE
	Battery: Li-Polymer cell 154250 with USB (2'800 mAh - V3pro)	SB951028	54 g	L: 17.0 cm, W: 11.0 cm, H: 4 cm	5704049911369
	Color filter Set B/R/Y/G with adapter (for Q3/V3)	950.014	24 g	L: 17.0 cm, W: 11.0 cm, H: 4.5 cm	5704049901230
	Helmet: Silicone headband black	950.007	30 g	L: 17.0 cm, W: 11.0 cm, H: 4 cm	5704049901018
	Bike helmet strap mount (2 pcs)	950.074	12 g	L: 17.0 cm, W: 11.0 cm, H: 1 cm	5704049905474
	Camping bulb Q3/V3 series	SB950028	28 g	L: 7.0 cm, W: 6.5 cm, H: 3.5 cm	5704049901346

# SPAREPARTS

PRODUCT	DESCRIPTION	CODE	EAN CODE
	Replacement Lense for V3 series, complete	995.0059	5704049901322
	Replacement Reflector for V3 series	995.0069	5704049905016



Distributed by:



ALSAFIX HEAD OFFICE  
114A rue Principale  
FR-67240 GRIES  
Tel: +33 3 88 72 19 31

[www.alsafix.com](http://www.alsafix.com)  
alsafix@alsafix.com

ALSAFIX PARIS  
34 avenue de Bobigny  
FR-93135 NOISY-LE-SEC  
Tel: +33 1 48 44 44 59

[www.alsafix.com](http://www.alsafix.com)  
paris@alsafix.com